

## Control of Silica and Other Workplace Dust

Issue Date: 10/03/2025 | Version: 1

AA: Asbestos Awareness

NL: Non-Licensed

LW: Licensed Work

DTM: Duty to Manage

AM: Asbestos Management

AS: Analyst/Surveyor

RP: RPE/PPE

SMG: Soil & Made Ground

✓ OH: Occupational Hazards



*UKATA is a leading non-profit association dedicated to improving the quality and standards of asbestos, silica and dust control training.*

## Recognition and Grants



UKATA is an approved CITB 3<sup>rd</sup> Party Awarding Organisation for the Construction Training Register and Construction Training Directory. This syllabus has been mapped against the CITB standard and is available for automated grant payments to levy registered employers.

**Grant rate/tier: £60 (Tier 1) | Grant code: GET2530**

---



UKATA is a Member of The CPD Certification Service providing recognised independent CPD accreditation compatible with global CPD principles.

---



This UKATA syllabus has been reviewed and independently certified as being suitable for CPD purposes by The CPD Certification Service.

---



UKATA holds ISO 9001 certification and continues to maintain the quality standard through annual auditing. ISO 9001 is a global standard for quality management systems (QMS), requiring organisations to demonstrate that their internal procedures meet rigorous guidelines, ensuring consistent delivery of quality products and services to customers and stakeholders.

## Contents

<b>Title</b>	<b>Page No</b>
<b>1. Course Title</b>	<b>4</b>
<b>2. Introduction</b>	<b>4</b>
<b>3. Purpose/Scope</b>	<b>4</b>
<b>4. Occupational Relevance</b>	<b>4</b>
<b>5. Duration</b>	<b>4</b>
<b>6. Learner Pre-Requisites</b>	<b>4</b>
<b>7. Individual Learning Needs</b>	<b>4</b>
<b>8. Instruction/Supervision</b>	<b>5</b>
<b>9. Delivery</b>	<b>5</b>
<b>10. Assessment</b>	<b>5</b>
<b>11. Quality Assurance</b>	<b>6</b>
<b>12. Renewal/Refresher</b>	<b>6</b>
<b>13. Approval Date</b>	<b>6</b>
<b>14. Review Cycle</b>	<b>6</b>
<b>15. Additional Resources</b>	<b>6</b>
<b>16. Learning Outcomes</b>	<b>7</b>
<b>17. Required Course Content</b>	<b>8 - 9</b>

## **1. Course Title**

Control of Silica and Other Workplace Dust

## **2. Introduction**

This syllabus sets out the guidance issued by UKATA for the provision of Control of Silica and Other Workplace Dust training based on current HSE policy and as contained within the Health and Safety at Work, etc Act 1974 (HSW Act), the Management of Health and Safety at Work Regulations 1999 (MHSWR) and the Control of Substances Hazardous to Health Regulations 2002 (COSHH) (as amended).

This document provides the syllabus for the training along with guidance on the minimum content of all courses. Tutors can offer bespoke or tailored training for the remainder of any training session, but the core content must be adhered to.

This training is required to be given to employees whose work could foreseeably expose them to Respirable Crystalline Silica (RCS) and other workplace dust.

## **3. Purpose/Scope**

To provide learners with the theoretical and practical skills to develop the knowledge amongst employees as regards the hazards and risks posed by silica containing materials. The course further gives an overview of the legislative measures in place to permit employees to safeguard themselves and others affected by work activities.

## **4. Occupational Relevance**

Supervisors and trades personnel, including trainees such as but not limited to: kitchen fitters, general maintenance staff, electricians, plumbers, gas fitters, painters and decorators, joiners, roofers, plasterers, heating and ventilation engineers, demolition workers, construction workers, architects, building surveyors, refractory production and cutting operatives/technicians, slate mining and slate processing workers, open cast mining workers, coal mining, quarry workers, stone manufacture workers, concrete manufacture workers, ceramic manufacture workers, glass manufacture workers, brick and tile manufacture workers, foundry workers, abrasive blasting workers, building and energy surveyors.

## **5. Duration**

Minimum of 3.5 learning hours.

*(This includes the time allocated for the final exam)*

## **6. Learner Pre-requisite**

There are no learner pre-requisites as part of this syllabus.

## **7. Individual Learning Needs**

The tutor must assess each learner's individual needs before the course begins and adapt the training accordingly.

## 8. Instruction/Supervision

As a minimum, tutors must meet the following criteria:

- Tutors must have a minimum of at least three years' experience (within the past five years) in the health & safety industry. This will be taken to include, construction management, construction supervision, consultancy, training etc. and must be able to demonstrate a comprehensive practical working knowledge, within the health & safety industry, including its legislative requirements;
- Hold a suitable qualification recognised by the health & safety industry, which may include: NEBOSH National Certificate in Construction Safety and Health, NVQ/SVQ Level 5 in Occupational Safety & Health, Health & Safety Degree, NEBOSH Diploma in Occupational Safety and Health, Diploma Safety Management Level 6, or other such qualifications that UKATA deems to be acceptable;
- Hold a recognised trainer qualification, i.e., Level 3 Award in Education and Training, or you must achieve this qualification within 12 months of registration with UKATA;
- A successful UKATA Audit, or an internal Audit undertaken by the Member company they are working for;
- After meeting the above criteria, the Tutor is required to pass the UKATA RCS & Other Construction Dusts Tutor Knowledge Test.

## 9. Delivery

Training must be delivered in a suitable environment and in accordance with the UKATA [Training Centre & Equipment Minimum Standards](#). All equipment must be of a suitable quality and quantity for learners to achieve learning outcomes and must comply with relevant legislation.

The class size and tutor to learner ratio must allow training to be delivered in a safe manner and enable learners to achieve the learning outcomes. The approved training delivery methods for this training along with the maximum tutor to learner ratios are:

**Classroom:** 1:15

**Virtual Classroom:** 1:12

## 10. Assessment

Attainment of the learning outcomes will be assessed by a multiple-choice exam consisting of at least 15 questions taken from the UKATA question bank and sat under exam conditions. At the discretion of the tutor, learners shall be permitted to refer to any notes they make during the training session, or the training manual/notes provided by the tutor.

Learners will be required to achieve a score of at least 12 out of 15 (80%) in the exam. Failure to achieve this will result in the learner requiring to re-sit the exam under exam conditions. If a learner fails the second attempt, they will be required to re-sit the course in its entirety.

The exam should have a completion time of approximately 20 minutes, though this is intended as a guideline. Tutors should accommodate the diverse needs of learners, which may include reading the questions aloud when necessary. However, no assistance may be provided in answering the questions.

## 11. Quality Assurance

Quality assurance against this syllabus requires verification and approval of the presentation materials, exam papers, course handouts and tutor narrative. Independent audits are carried out to demonstrate conformity with the training standards set by UKATA and each tutor maintains a CPD record that aligns with the UKATA [Tutor Competency Framework](#).

UKATA prides itself on numerous accreditations and certifications that reflect our commitment to the highest standards of service and quality. A detailed list of these can be accessed at: [UKATA Accreditations](#).

## 12. Renewal/Refresher

Certification for this training course will be valid for one year.

It is recommended that renewal/refresher training is carried out annually.

The duration of refresher training is determined by a training needs analysis (TNA) conducted by the training provider and should be a minimum of 1.5 learning hours.

Learners must provide evidence of their previous UKATA Control of Silica and Other Workplace Dust (or refresher) training, completed within the last 12 months. If unable to verify recent certification, learners will need to undergo the full training course again.

Following the certification expiration date, a grace period of six months is permitted for refresher training to be delivered. The employer should, in this case, carry out a TNA and discuss the training requirements with the training provider.

## 13. Approved Date

01/02/2025

## 14. Review Cycle

Either on request or within 3 years from approval date.

## 15. Additional Resources

<a href="#">View</a>	Control of exposure to silica dust. A guide for employees.
<a href="#">View</a>	EH/40/2005 Workplace exposure limits (Fourth Edition 2020).
<a href="#">View</a>	Reducing exposures to silica in the workplace.
<a href="#">View</a>	Construction dust. Information Sheet No 36 (Revision 3).
<a href="#">View</a>	Health surveillance for those exposed to respirable crystalline silica (RCS).
<a href="#">View</a>	Direct advice sheets for industries. Silica.
<a href="#">View</a>	Control of substances hazardous to health. The Control of Substances Hazardous to Health Regulations 2002 (as amended). Approved Code of Practice and guidance.

## 16. Learning Outcomes

- ✓ Identify and describe the different types and properties of silica and other workplace dust, including respirable crystalline silica (RCS), wood dust, and general dust.
- ✓ Analyse the health risks associated with silica and other workplace dust exposure, including the impact of smoking on risk levels.
- ✓ Review general epidemiology and statistics related to diseases caused by silica and other workplace dust exposure.
- ✓ Recognise various types of silica-containing materials and their common uses in construction, manufacturing, and other industries.
- ✓ Identify where silica, silica-containing materials, and other types of workplace dust can typically be found within buildings and industrial settings.
- ✓ Understand the reasons behind the use of silica and other dust-producing materials in construction and industrial processes.
- ✓ Describe the risks of dust release from various materials and how friability affects these risks.
- ✓ Demonstrate how to find information on the presence of silica and other dusts before starting work to ensure proper precautions are taken.
- ✓ Explain the emergency procedures for situations where silica dust or other harmful workplace dusts are unexpectedly disturbed or discovered.
- ✓ Comprehend the role of silica and dust control legislation within the broader context of health and safety laws.
- ✓ Summarise key legislation and regulations relevant to the control of silica and other workplace dust, focusing on their implications for workplace safety.
- ✓ Understand the importance of compliance with health surveillance and risk assessment protocols to manage the exposure to silica and other workplace dusts effectively.

## 17. Required Course Content

<b>DURATION: APPROXIMATELY 30 MINUTES</b>	
<b>MODULE 1</b>	<b>Understand what silica and other workplace dust is and have an increased awareness of the nature, properties, and effects on health.</b>
	1.1 Define the term workplace dust, including: <ul style="list-style-type: none"> <li>• Silica dust - created when working on silica containing materials like concrete, mortar and sandstone (also known as respirable crystalline silica or RCS);</li> <li>• Wood dust: created when working on softwood, hardwood and wood-based products like MDF and plywood;</li> <li>• Other 'general' dust – created when working on other materials containing very little or no silica. The most common include gypsum (e.g., in plasterboard), limestone, marble and dolomite.</li> </ul>
	1.2 Describe the properties of silica: <ul style="list-style-type: none"> <li>• The natural origin and physical properties of silica which makes it invaluable to construction, transport, and industry;</li> <li>• Quartz, Tridymite and Cristobalite; the common names and characteristics of these minerals;</li> <li>• The geographical sources of silica and brief history of the use of silica containing materials and associated exposure to RCS.</li> </ul>
	1.3 The risks to and effects on health caused by exposure to RCS and other workplace dust: <ul style="list-style-type: none"> <li>• The basic structure of the respiratory system in order to understand diseases related to silica and other workplace dust;</li> <li>• How silica and other workplace dust can become respirable;</li> <li>• Silicosis; chronic obstructive pulmonary disease (COPD); asthma, lung cancer;</li> <li>• Risk of developing disease;</li> <li>• Increased danger to workers who smoke;</li> <li>• Workplace Exposure Levels (WEL's)</li> <li>• Latency periods and the amount of exposure required to cause specific diseases.</li> </ul>
	1.4 General epidemiology and statistics: <ul style="list-style-type: none"> <li>• Provide general statistics on the epidemiology and current HSE statistics on silica and other workplace dust related mortality.</li> </ul>
<b>DURATION: APPROXIMATELY 40 MINUTES</b>	
<b>MODULE 2</b>	<b>Understand the types, uses, associated risks and likely occurrence of silica, silica containing materials and other materials in buildings, plant and industry.</b>
	2.1 Outline the types of silica containing materials and where they can be typically found: <ul style="list-style-type: none"> <li>• Provide a descriptive and pictorial overview of silica containing materials with sufficient information, including the reasons for the use of silica containing materials;</li> <li>• Illustrate the typical areas where silica containing materials can be found in, including but not limited to: buildings, highways and railway infrastructure, water and sewerage systems; and their uses within such areas;</li> <li>• A minimum of 30 assorted product photographs sequenced in such a way that learners develop an understanding of the risk levels associated with silica containing materials. Examples may include (listed in increasing order of silica content):               <ul style="list-style-type: none"> <li>- Marble (2%)</li> <li>- Limestone (2%)</li> <li>- Brick (Up to 30%)</li> <li>- Slate (20–40%)</li> <li>- Granite (20–45%, typically 30%)</li> <li>- Tile (30–45%)</li> <li>- Manufactured building blocks (20–70%)</li> <li>- Concrete, mortar (25–70%)</li> <li>- Sandstone (70-90%)</li> </ul> </li> </ul>
	2.2 Provide a descriptive and pictorial overview of other typical materials that create workplace dust, including but not limited to: softwood, hardwood, wood-based products and other materials containing very little or no silica.

<b>DURATION: APPROXIMATELY 90 MINUTES</b>	
<b>MODULE 3</b>	<b>Risk Control: How to avoid the risks from airborne dusts.</b>
	3.1 Understand how friability impacts on the risk of RCS released from materials such as; sandstone, concrete, mortar, manufactured building blocks, tile, granite, slate, brick, limestone and marble.
	3.2 Describe the actions to be taken if suspected silica containing materials are discovered or accidentally disturbed.
	3.3 Understand the difference between toxic/carcinogenic materials and where to obtain that information.
	3.4 Understand how to assess the risk, including examples of high-risk tasks, risk assessments and how high dust levels are caused by the task, work area, time or frequency.
	3.5 Understand how to control the risk, including examples of controls for common high-risk tasks and the use of various control measures: <ul style="list-style-type: none"> <li>• Hierarchy of controls;</li> <li>• Stop and reduce the dust;</li> <li>• Control the dust;</li> <li>• RPE;</li> <li>• Other controls.</li> </ul>
	3.6 Understand how to review the controls by: <ul style="list-style-type: none"> <li>• Ensuring the procedure is done correctly;</li> <li>• Checking controls are effective;</li> <li>• Involving workers;</li> <li>• Maintaining equipment;</li> <li>• Supervising workers;</li> <li>• Health surveillance.</li> </ul>
	3.7 Understand how to avoid the risk of other workplace dust released from materials such as; softwood, hardwood, wood-based products and other materials containing very little or no silica by using controls such as dust extraction.

<b>DURATION: APPROXIMATELY 30 MINUTES</b>	
<b>MODULE 4</b>	<b>Outline of legislation relating to silica and other workplace dusts.</b>
	4.1 Outline of the origins of silica and other workplace dust legislation and how it fits into the wider context of health and safety legislation.
	4.2 Outline the regulations governing work with silica containing materials.
	4.3 Work with RCS and other workplace dust covered by COSHH and current HSE guidance.
	<b>Additional legislation for Architects, Designers, and other allied professionals.</b>
4.4 In addition to the legislative content outlined in module 4 above: <ul style="list-style-type: none"> <li>• CDM 2015 Clients, Designers, Principal Contractors and Sub-Contractors duties and responsibilities - ACoP (L153).</li> </ul>	