

UKATA

*An industry-leading association
committed to improving the quality
and standards of asbestos training
across the UK and Globally.*



Asbestos in the Twin Towers: Presence, Impact, and Health Consequences

CHRIS BISHOP

BA, C.CHEM MRSC, MCQI CQP, CCP (ASBESTOS)

OWNER AT&C (ASBESTOS TRAINING & CONSULTANCY) LTD

UKATA DIRECTOR



Asbestos Use in Construction



Extensive Asbestos Use

Asbestos was widely used during Twin Towers construction for fireproofing, insulation, cement, and flooring materials.


Health Risks and Regulations

Despite health concerns, asbestos use continued with EPA regulations starting mid-construction, leaving large amounts embedded.

Abatement Challenges

Asbestos removal was complex and costly; significant material remained in buildings during the September 11 attacks.

Construction and Asbestos Use









**ICONIC – a
testament to design
and structural
engineering**

Regulatory Changes and Abatement Efforts

Regulatory Response to Asbestos Risks

EPA and Port Authority implemented regulations to limit asbestos use and reduce health risks in construction.

Asbestos Abatement Programs

Mid-1980s abatement programs aimed to safely remove asbestos from the World Trade Centre despite high costs and complexity.

Unresolved Asbestos Hazards

Significant asbestos remained in the towers by 2001, posing airborne health dangers especially after 9/11 damage.







Collapse and Dust Cloud



Dust Cloud Composition

The dust cloud contained hazardous materials such as asbestos, glass fibers, concrete, gypsum, steel, and cellulose creating a toxic environmental plume.

Extended Fires and Pollution

Fires at Ground Zero smoldered for months, releasing carcinogenic combustion by-products into the air and worsening pollution levels.

Health Exposure Risk


Residents and first responders within 1.5 miles faced high risk of exposure to dangerous substances from the dust cloud and ongoing fires.

Long-term Health Crisis


The environmental disaster triggered a long-term public health crisis with effects becoming evident years after the event.







Long-Term Consequences and Response





Projected scenario	Mesothelioma	Lung Cancer	Asbestosis /ILD	Projected total
Low	100	200	30 - 50	300 - 350
Central	200-300	600-900	100	900 - 1100
High	400-500	2400 - 3000	100 - 200	3000 - 3700

Medical and Legal Responses



Healthcare Support Legislation

The James Zadroga Act allocated \$8.1 billion for healthcare and financial aid to 9/11 exposed individuals.

Health Program Services


The World Trade Center Health Program provides annual check-ups, mental health care, and treatment for certified conditions.

Legal Settlements

Legal settlements totaling over \$810 million have aided rescue workers and residents affected by toxic exposure.

Ongoing Challenges and Research

Funding cuts threaten program sustainability, while research predicts asbestos diseases peaking by 2041.



Health Monitoring Registry

The World Trade Center Health Registry tracks health outcomes of over 132,000 responders and survivors exposed to asbestos.

Latency and Disease Risk

Diseases like mesothelioma may appear decades later, with rising cancer rates expected among younger exposed individuals.

Comprehensive Medical Care


Regular physical and mental health assessments are recommended to detect early symptoms and provide multidisciplinary treatment.


Support and Research

Ongoing funding, research, and veteran benefits are crucial to support affected populations and improve interventions.




The 'Graph'





‘Ground Zero’ Lest we forget.....



UKATA

WWW.UKATA.ORG.UK

INFO@UKATA.ORG.UK

+44 1246 824437